

DETAILED ACTION

This Office action is in response to the decision rendered by the Board of Patent Appeals and Interferences on 03 November 2008.

Allowable Subject Matter

1. The Board of Patent Appeals and Interferences affirmed the rejection against independent claim 12, but reversed the rejection against claims 13-15 dependent thereon. Claim 12 is cancelled by the examiner in accordance with MPEP § 1214.06. Applicant is given a ONE MONTH TIME PERIOD from the mailing date of this letter in which to present the dependent claims in independent form. NO EXTENSIONS OF TIME UNDER 37 CFR 1.136(a) WILL BE GRANTED. Failure to comply will result in cancellation of the dependent claims and the application will be allowed with claims 16-18. Prosecution is otherwise closed.

Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen W. Smoot whose telephone number is 571-

Art Unit: 2813

272-1698. The examiner can normally be reached on Monday to Friday from 8:00am to 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew S. Smith can be reached on 571-272-1907. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Stephen W Smoot/
Primary Examiner
Art Unit 2813

SWS